

## PNY GEFORCE RTX™ 5080 16GB

ARGB Overclocked Triple Fan DLSS 4



## **GAME CHANGER**

Gear up for game-changing experiences with the NVIDIA GeForce RTX™ 5080 and AI-powered DLSS 4. Built with NVIDIA® Blackwell and equipped with blistering-fast GDDR7 memory, it lets you run the most graphically demanding games and creative applications with stunning fidelity and performance. With NVIDIA Studio you can bring your creative projects to life faster than ever.



## NVIDIA Blackwell Architecture

The Ultimate Platform for Gamers and Creators

### Fifth-Gen Tensor Cores

Max AI performance with FP4 and DLSS 4

# Fourth-Gen Ray Tracing Cores

**Built for Mega Geometry** 



## SOLID PHYSICAL CONNECTION

The top two screws shown in the picture above are physically mounted to the cooler, providing a solid physical connection between the mounting bracket and the cooling solution.



## EXCELLENT PERFORMANCE

Excellent thermal performance keeping the GPU temperature lower during operating, and super quiet.



#### **TRIPLE FAN COOLING**

With three fans working together, heat is distributed and dissipated more efficiently across the GPU surface



#### **CUSTOMIZABLE LIGHTING**

Featuring electrifying EPIC-X RGB lighting, for the ultimate controllable lighting experience with endless ARGB lighting possibilities (EPIC-X RGB versions only).

#### **KEY FEATURES**

- NVIDIA DLSS 4
- NVIDIA Reflex 2
- · GDDR7 Graphics Memory
- NVIDIA® App
- PCI Express® Gen 5
- NVIDIA Broadcast

#### **SYSTEM REQUIREMENTS**

- PCI Express-compliant motherboard with one 3.0-width x16 graphics slot
- Three 8-pin supplementary power connectors
- 850 W or greater system power supply<sup>2</sup>
- Microsoft Windows® 11 64-bit, Windows 10 64-bit, Linux 64-bit
- · Internet connection1

#### PRODUCT SPECIFICATIONS

| NVIDIA® CUDA Cores      | 10752                                           |
|-------------------------|-------------------------------------------------|
| Clock Speed             | 2295 MHz                                        |
| Boost Speed             | 2775 MHz                                        |
| Memory Speed (Gbps)     | 30                                              |
| Memory Size             | 16GB GDDR7                                      |
| Memory Interface        | 256-bit                                         |
| Memory Bandwidth (GB/s) | 960                                             |
| TDP                     | 360 W                                           |
| Outputs                 | DisplayPort 2.1b with UHBR20 (x3),<br>HDMI 2.1b |
| Multi-Screen            | 4                                               |
| Resolution              | 4K 480Hz or 8K 165Hz with DSC                   |
| Power Input             | 1x16 (1x16 to 3x8 adapter included)             |
| Bus Type                | PCI-Express 5.0 x16                             |

#### **PRODUCT INFORMATION**

| PNY Part Number | VCG508016TFXXPB1-0             |
|-----------------|--------------------------------|
| UPC Code        | 751492794242                   |
| Card Dimensions | 12.94" x 5.42" x 2.35"; 3 Slot |
| Box Dimensions  | 15.94" x 7.83" x 4.05          |

<sup>1</sup> Graphics Card driver is not included in the box; NVIDIA App will download the latest GeForce driver from the Internet after install.

 $PNY\ Technologies, Inc.\ 100\ Jefferson\ Road, Parsippany, NJ\ 07054\ |\ Tel\ 973-515-9700\ |\ Fax\ 973-560-5590\ |\ \textbf{WWW.PNY.COM}$ 

Features and specifications subject to change without notice. The PNY logo is a registered trademark of PNY Technologies, Inc. All other trademarks are the property of their respective owners. © 2025 PNY Technologies, Inc. All rights reserved.

©2025 NVIDIA Corporation. NVIDIA, the NVIDIA logo, GeForce, GeForce Experience, GeForce RTX, and G-SYNC are registered trademarks and/or trademarks of NVIDIA Corporation in the United States and other countries. All other trademarks and copyrights are the property of their respective owners





<sup>2</sup> Power requirements can be different depending on system configuration.