

Product Name / Series	Part Number	Memory	CUDA Cores	Base Clock Boost Clock (MHz)	Memory Interface	Memory Bandwidth (GB/s)	Memory Speed (Gbps)	TDP	Power Input	Size	Maximum Display Support	Output	Warranty
GEFORCE RTX 30 SERIES													
GeForce® RTX™ 3090 Ti 24GB XLR8 Gaming UPRISING EPIC-X RGB™ OC Triple Fan <small>VR READY</small>	VCG3090T24TFXMPB-O	24GB GDDR6X	10752	1560 / 1875	384-bit	1008	21	450 W	1x12-pin to 3x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3090 Ti 24GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG3090T24TFXMPB	24GB GDDR6X	10752	1560 / 1860	384-bit	1008	21	450 W	1x12-pin to 3x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3090 24GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG309024TFXPPB	24GB GDDR6X	10496	1395 / 1695	384-bit	936	19.5	350 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3090 24GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG309024TFXMPB	24GB GDDR6X	10496	1395 / 1695	384-bit	936	19.5	350 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 Ti 12GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG3080T12TFXPPB	12GB GDDR6X	10240	1365 / 1665	384-bit	912	19	350 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 Ti 12GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG3080T12TFXMPB	12GB GDDR6X	10240	1365 / 1665	384-bit	912	19	350 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 12GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan LHR <small>VR READY</small>	VCG308012LTFXPPB	12GB GDDR6X	8960	1260 / 1710	384-bit	912	19	350 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 12GB XLR8 Gaming UPRISING EPIC-X RGB™ OC Triple Fan LHR <small>VR READY</small>	VCG308012LTFXMPB-O	12GB GDDR6X	8960	1260 / 1725	384-bit	912	19	350 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 12GB UPRISING Triple Fan LHR <small>VR READY</small>	VCG308012LTFMPB	12GB GDDR6X	8960	1260 / 1710	384-bit	912	19	350 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 10GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan LHR <small>VR READY</small>	VCG308010LTFXPPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 10GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan LHR <small>VR READY</small>	VCG308010LTFXMPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year

Product Name / Series	Part Number	Memory	CUDA Cores	Base Clock Boost Clock (MHz)	Memory Interface	Memory Bandwidth (GB/s)	Memory Speed (Gbps)	TDP	Power Input	Size	Maximum Display Support	Output	Warranty
GEFORCE RTX 30 SERIES													
GeForce® RTX™ 3080 10GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG308010TFXPPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3080 10GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG308010TFXMPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3070 Ti 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG3070T8TFXPPB	8GB GDDR6X	6144	1575 / 1770	256-bit	608	19	290 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3070 Ti 8GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG3070T8TFXMPB	8GB GDDR6X	6144	1575 / 1770	256-bit	608	19	290 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3070 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan LHR <small>VR READY</small>	VCG30708LTFXPPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3070 8GB UPRISING Dual Fan LHR <small>VR READY</small>	VCG30708LDFMPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	1x12-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3070 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG30708TFXPPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3070 8GB UPRISING Dual Fan <small>VR READY</small>	VCG30708DFMPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	1x12-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 Ti 8GB XLR8 Gaming REVEL EPIC-X RGB™ Dual Fan LHR <small>VR READY</small>	VCG3060T8LDFXPPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 Ti 8GB UPRISING Dual Fan LHR <small>VR READY</small>	VCG3060T8LDFMPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 Ti 8GB XLR8 Gaming REVEL EPIC-X RGB™ Dual Fan <small>VR READY</small>	VCG3060T8DFXPPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year

Product Name / Series	Part Number	Memory	CUDA Cores	Base Clock Boost Clock (MHz)	Memory Interface	Memory Bandwidth (GB/s)	Memory Speed (Gbps)	TDP	Power Input	Size	Maximum Display Support	Output	Warranty
GEFORCE RTX 30 SERIES													
GeForce® RTX™ 3060 Ti 8GB UPRISING Dual Fan <small>VR READY</small>	VCG3060T8DFMPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 12GB XLR8 Gaming REVEL EPIC-X RGB™ Dual Fan <small>VR READY</small>	VCG306012DFXPPB	12GB GDDR6	3584	1320 / 1777	192-bit	360	15	170 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 12GB XLR8 Gaming REVEL EPIC-X RGB™ Single Fan <small>VR READY</small>	VCG306012SFXPPB	12GB GDDR6	3584	1320 / 1777	192-bit	360	15	170 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 12GB UPRISING Dual Fan <small>VR READY</small>	VCG306012DFMPB	12GB GDDR6	3584	1320 / 1777	192-bit	360	15	170 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3050 8GB XLR8 Gaming REVEL EPIC-X RGB™ Dual Fan <small>VR READY</small>	VCG30508DFXPPB	8GB GDDR6	2560	1552 / 1777	128-bit	224	14	130 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3050 8GB XLR8 Gaming REVEL EPIC-X RGB™ Single Fan <small>VR READY</small>	VCG30508SFXPPB	8GB GDDR6	2560	1552 / 1777	128-bit	224	14	130 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3050 8GB UPRISING Dual Fan <small>VR READY</small>	VCG30508DFMPB	8GB GDDR6	2560	1552 / 1777	128-bit	224	14	130 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GEFORCE RTX 20 SERIES													
GeForce® RTX™ 2060 12GB REVEL Dual Fan <small>VR READY</small>	VCG206012DFPPB	12GB GDDR6	2176	1470 / 1650	192-bit	336	14	184 W	1x8-pin	Dual-Slot Full Height	3	DVI-D, HDMI 2.0b, DisplayPort 1.4	3 Year
GeForce® RTX™ 2060 12GB UPRISING Dual Fan <small>VR READY</small>	VCG206012DFMPB	12GB GDDR6	2176	1470 / 1650	192-bit	336	14	184 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.0b, DisplayPort 1.4 x3	3 Year
GEFORCE GTX SERIES													
GeForce® GTX 1660 SUPER™ 6GB XLR8 Gaming OC Single Fan <small>VR READY</small>	VCG16606SSFPPB-O	6GB GDDR6	1408	1530 / 1830	192-bit	336	14	125 W	1x8-pin	Dual-Slot Full Height	3	DVI-D, HDMI 2.0b, DisplayPort 1.4	3 Year
GeForce® GTX 1650 4GB Dual Fan	VCG16504D6DFPPB	4GB GDDR6	896	1410 / 1590	128-bit	192	12	75 W	1x6-pin	Dual-Slot Full Height	3	HDMI 2.0b, DisplayPort 1.4 x2	3 Year