

PNY®

# NVIDIA® PROFESSIONAL GRAPHICS SOLUTIONS



# WHICH PNY PROFESSIONAL BOARD IS RIGHT FOR YOU?

Part Number	GPU SPECIFICATIONS			PERF		DISPLAY TECHNOLOGY						OPTIONS								
	CUDA Cores <sup>1</sup>	GPU Memory	Memory Bandwidth	Tensor Cores <sup>1</sup>	Ray Tracing Cores <sup>1</sup>	Floating Point Performance (Tflops)	DisplayPort <sup>2</sup>	Maximum Active Displays	Maximum Resolution Support @ 60 Hz	FSAA (Maximum)	Dimensions (mm)	Mosaic Technology	Maximum Power Consumption	AV1 Encode and Decode Engines	Vulkan Support	GPU Direct™ for Video	Graphics Synchronization <sup>3</sup>	NVLink Bridge support		
<b>NVIDIA FOR DESKTOP WORKSTATIONS</b>																				
<b>NVIDIA RTX PRO 6000 Blackwell Workstation Edition</b>	<b>NEW</b>	VCNRTXPRO6000-PB	24064	96GB	1792GB/s	752		126,0	4	4	15360x8460	64x	137 x 305	✓	600W	✓	✓	✓	-	
<b>NVIDIA RTX PRO 6000 Blackwell Max-Q Workstation Edition</b>	<b>NEW</b>	VCNRTXPRO6000MQ-PB	24064	96GB	1792GB/s	752	188	110,1	4	4	15360x8461	64x	112 x 267	✓	300W	✓	✓	✓	-	
<b>NVIDIA RTX PRO 5000 Blackwell</b>	<b>NEW</b>	VCNRTXPRO5000-PB	14080	48GB	1344GB/s	440		73,69	4	4	15360x8462	64x	112 x 267	✓	300W	✓	✓	✓	-	
<b>NVIDIA RTX PRO 4500 Blackwell</b>	<b>NEW</b>	VCNRTXPRO4500-PB	10496	32GB	896GB/s	328	82	54,94	4	4	15360x8463	64x	112 x 267	✓	200W	✓	✓	✓	-	
<b>NVIDIA RTX PRO 4000 Blackwell</b>	<b>NEW</b>	VCNRTXPRO4000-PB	8960	24GB	672GB/s	280		46,90	4	4	15360x8464	64x	112 x 241	✓	140W	✓	✓	✓	-	
<b>NVIDIA RTX PRO 4000 SFF Blackwell<sup>4</sup></b>	<b>NEW</b>	VCNRTXPRO4000LP-PB	8960	24GB	672GB/s	280	70	33,73	4	4	15360x8464	64x	69 x 170	✓	70W	✓	✓	✓	-	
<b>NVIDIA RTX PRO 2000 Blackwell<sup>4</sup></b>	<b>NEW</b>	VCNRTXPRO2000-PB	4480	16GB	360GB/s	192		21,1	4	4	15360x8464	64x	69 x 170	✓	70W	✓	✓	-	-	
<b>NVIDIA A800 40GB Active</b>		VCNA800-SB	6912	40GB	1506GB/s	432	-	9,7 DP 19,5 SP	-	-	-	-	112 x 267	-	240W	-	✓	✓	-	✓
<b>NVIDIA RTX 6000 Ada Generation</b>		VCNRTX6000ADA-PB	18176	48GB	960GB/s	568		91,1 SP	4	4	7680x4320	64x	112 x 267	✓	300W	✓	✓	✓	-	
<b>NVIDIA RTX 5000 Ada Generation</b>		VCNRTX5000ADA-PB	12800	32GB	576GB/s	400	100	65,3 SP	4	4	7680x4320	64x	112 x 267	✓	250W	✓	✓	✓	-	
<b>NVIDIA RTX 4500 Ada Generation</b>		VCNRTX4500ADA-PB	7680	24GB	432GB/s	240		39,9 SP	4	4	7680x4320	64x	112 x 267	✓	210W	✓	✓	✓	-	
<b>NVIDIA RTX 4000 Ada Generation</b>		VCNRTX4000ADA-PB	6144	20GB	360GB/s	192	48	26,7 SP	4	4	7680x4320	64x	112 x 241	✓	130W	✓	✓	✓	-	
<b>NVIDIA RTX 4000 SFF Ada Generation</b>		VCNRTXA4000ADALP-PB	6144	20GB	280GB/s	192		19,2 SP	4	4	7680x4320	64x	69 x 170	✓	70W	✓	✓	✓	-	
<b>NVIDIA RTX 2000 Ada Generation</b>		VCNRTXA2000ADA-PB	3328	12GB	224GB/s	104	26	12 SP	4	4	7680x4320	64x	69 x 170	✓	70W	✓	✓	-	-	
<b>NVIDIA RTX 2000E Ada Generation</b>		VCNRTX2000EADA-PB	3328	12GB	224GB/s	104		9 SP	4	4	7680x4320	64x	69 x 170	✓	50W	✓	✓	-	-	
<b>NVIDIA RTX A1000</b>		VCNRTXA1000-PB	2304	8GB	192GB/s	72	18	6,7 SP	4	4	7680x4320	64x	69 x 164	✓	50W	✓	✓	-	-	
<b>NVIDIA RTX A400</b>		VCNRTXA400-PB	768	4GB	96GB/s	24		2,7 SP	4	4	7680x4320	64x	69 x 164	✓	50W	✓	✓	-	-	
<b>NVIDIA FOR DATA CENTERS</b>																				
<b>NVIDIA RTX PRO 6000 Blackwell Server Edition</b>	<b>NEW</b>	TCSRTXPRO6000SE-PB	24064	96GB	1597GB/s	752		126,0	4	4	15360x8460	64x	137x305	✓	600W	✓	✓	✓	-	
<b>NVIDIA H200 NVL</b>		TCSH200NVLPICIE-PB	16896	141GB	4800GB/s	528	-	34 DP 67 SP	-	-	-	-	112 x 267	-	600W	-	-	-	✓	
<b>NVIDIA H100 NVL</b>		TCSH100NVLPICIE-PB	16896	94GB	3938GB/s	528		26 DP 51 SP	-	-	-	-	112 x 267	-	400W	-	-	-	✓	
<b>NVIDIA L40S</b>		TCSL40SPICIE-PB	18176	48GB	864GB/s	568	142	91,6 SP	4	4	7680x4320	64x	112 x 267	✓	350W	✓	✓	✓	-	
<b>NVIDIA L40</b>		TCSL40PICIE-PB	18176	48GB	864GB/S	568		90,5 SP	4	4	7680x4320	64x	112 x 267	✓	300W	✓	✓	✓	-	
<b>NVIDIA A16</b>		TCSA16M-PB	1280 x4	16GB x4	200GB/s x4	40 x4	10 x4	4,5 SP x4	-	-	-	-	112 x 267	-	250W	-	-	-	-	
<b>NVIDIA A10</b>		TCSA10M-PB	9216	24GB	600GB/s	288		31,2 SP	-	-	-	-	112 x 267	-	150W	-	-	-	-	
<b>NVIDIA L4</b>		TCSL4PICIE-PB	7680	24GB	300GB/s	240	60	30,3 SP	-	-	-	-	69 x 170	-	70W	-	-	-	-	
<b>NVIDIA A2</b>		TCSA2MATX-PB	1280	16GB	200GB/s	40		4,5 SP x4	-	-	-	-	69 x 170	-	40-60W	-	-	-	-	

1. Processing cores cannot be compared between GPU generations due to several important architectural differences that exist between designs.  
 2. Adapters available for HDMI.  
 3. NVIDIA RTX PRO SYNC required  
 4. Preliminary values

FOR MORE INFORMATION ON NVIDIA WORKSTATION PRODUCTS:  
 Visit: [HTTPS://WWW.NVIDIA.COM/EN-US/PRODUCTS/WORKSTATIONS/](https://www.nvidia.com/en-us/products/workstations/) & [WWW.PNY.EU](http://www.pny.eu)

# BENEFITS OF PROFESSIONAL GRAPHICS

## NVIDIA Blackwell Architecture

BREAKING BARRIERS IN ACCELERATED COMPUTING AND GENERATIVE AI

Delivered application performance is more than raw flops. Computational professionals depend on mission critical applications to accelerate discoveries and insights at scale. It starts with the world's fastest accelerators and includes a reliable infrastructure, the ability to monitor and manage that infrastructure, and the ability to quickly move data where it is needed. The NVIDIA Accelerated Computing Platform provides all of these to deliver unprecedented performance in scientific, analytics, engineering, consumer, and enterprise applications.

### Differentiated Engineering:

Low Operating Voltage for Long Term Reliability.  
Large Guard-Band for Guaranteed Quality.  
Error Correction Code (ECC) for Data Integrity.

### Extensive Qualification & Testing:

Long Burn-in-Testing.  
Zero Error Tolerance at Aggressive Clocks.  
Result: 5% of GPUs screened out.  
Guaranteed Quality.

### Enterprise Tools:

Simplify Data Center Operations.  
Manage and Monitor GPUs.  
System Diagnostics, GPU recovery, RMA diagnostics.  
GPU Cluster Management.



# WHICH PNY PROFESSIONAL BOARD TO USE FOR YOUR APPLICATION?

## Should I use a Professional Graphics Card?

PNY offers a suite of professional solutions that enable designers, manufacturers, scientists and researchers to do their work smarter, faster, with greater reliability and with energy efficiency. If you answer one or more of the below questions with yes we recommend to use professional NVIDIA cards.

### Does your work involve creating, rendering, or visualizing data and images?

NVIDIA's professional cards are fully compatible, tested & certified on all your professional applications for more performance & reliability.

### Is hardware reliability important?

Time spent troubleshooting is lost time for your creativity. NVIDIA professional graphics cards are designed for 24/7 operation with pro support.

### Do you prefer long availability for your hardware?

Professional NVIDIA cards are usually available for 3 or more years while gaming cards often have a lifetime below 6 months.

## Which NVIDIA for my application?

APPLICATION					
Microsoft Office	Siemens NX				
Trimble SketchUp	PTC Creo				
Adobe Illustrator CC, Photoshop CC	After Effects CC, Premiere Pro CC				
Autodesk AutoCAD, Inventor, Revit		Maya, 3ds MAX			
Dassault Systems Solidworks	CATIA	3DEXCITE, CATIA Live Rendering	Solidworks Visualize, ABAQUS, SIMULA		
	The Foundry Mari, Nuke				
			Ansys Mechanical		
			Schlumberger Petrel		
Small/simple CAD models, Video, entry PLM • ISV Certs • Higher performance vs. IGP, gfx GPU • NVIDIA Mosaic	Medium size/complexity CAD models, basic DCC, Medical Imaging, PLM • +2GB memory • Approx. 118% faster	Large/complex CAD models, Advanced DCC, Medical Imaging • +4GB memory • Approx. 37% faster • NVIDIA Mosaic with sync	Large/complex CAD models, Seismic exploration, complex DCC effects • +8GB memory • Approx. 65% faster • Error Correcting Code (ECC) Memory	Largest CAD models, CAE, Photo-realistic rendering, Seismic exploration, GPGPU compute • +8GB memory • Approx. 61% faster	Most demanding rendering and GPGPU compute applications • Multi-GPU solution • Highest performance
RTX A400	RTX PRO 2000, RTX A1000	RTX PRO 4000, RTX PRO 4000 SFF	RTX PRO 5000, RTX PRO 4500	RTX PRO 6000, RTX PRO 6000 Max-Q A800	2x RTX PRO 6000, 2x RTX PRO 6000 Max-Q 2x A800
ENTRY	MID-RANGE	HIGH-END	ULTRA HIGH-END		



FOR DISCOVERING ALL OUR RECOMMENDATIONS:  
Please visit our **PNY ONLINE CONFIGURATOR** on:  
[HTTPS://PNY.QUADRO-SELECTOR.COM](https://PNY.QUADRO-SELECTOR.COM)



## NVIDIA RTX™ Platform

MOST POWERFUL VISUAL COMPUTING

The term "professional workstation" implies many things to many people. However, it usually translates to expectations of high quality, excellent reliability, responsive support, and high performance. The NVIDIA professional series is built to provide this high level of quality and reliability.

### NVIDIA RTX™ Application Value-add:

Solidworks Realview.  
3ds Max Shade.  
Solidworks Visualize.  
PTC Creo OIT.  
Solidworks Ambient Occlusion.  
Catia Live Rendering.

### NVIDIA RTX™ Unique Features:

Large memory with ECC.  
NVIDIA RTX Desktop Manager.  
GPU direct for Video.  
Higher Level of FSA (64x).  
Multi-GPU.  
Enterprise IT Tools.  
Iray Server Streaming.  
Quad Buffered Stereo.  
Mosaic.  
Warp & Blend.  
Bezel Correction & Overlap.  
Genlock & Framelock.

### Performance:

Application specific feature development & tuning.  
Driver optimizations to maximize GPU features.  
Unique features to support pro workflows.  
IT tools for easy deployment & management.


### Reliability:

Application specific testing by NVIDIA.  
100+ professional application certifications by ISVs.  
Unique rock-solid driver with deterministic release schedule.  
Designed and built by NVIDIA to a single specification for 24/7 reliability and stability.

### Support:

Deep workflow experience across vertical industries.  
Long-Life Cycle availability and support.  
Bulk availability for large Enterprise.  
Global technical pre-sales and post-sales support.

# FIND THE RIGHT NVIDIA GRAPHICS SOLUTION ON THE PNY ONLINE CONFIGURATOR



## NVIDIA for the Data Center

BY PNY

HIGH-PERFORMANCE COMPUTING		HIGHLIGHTS	IDEAL FOR
	<b>NVIDIA H200 NVL</b> TCSH200NVLPcie-PB	FP64 34 TFLOPS FP64 Tensor Core 67 TFLOPS MIG Instance GPU NVLink 600 GB/s	HPC Deep Learning, Machine Learning, Training, Data Analytics
	<b>NVIDIA H100 NVL</b> TCSH100NVLPcie-PB	FP64 31 TFLOPS FP64 Tensor Core 62 TFLOPS MIG Instance GPU NVLink 600 GB/s	HPC, Deep Learning, Machine Learning, Training, Data Analytics
PROFESSIONAL VIRTUALIZATION		HIGHLIGHTS	IDEAL FOR
	<b>NVIDIA RTX PRO™ 6000 Server Edition</b> TCSRTXPRO6000SE-PB	FP32 126 TFLOPS 4x DP 2.1b	HPC Rendering, Deep Learning, Machine Learning, Training, Inferencing Virtual Desktop Integration
	<b>NVIDIA A10</b> TCSA10M-PB	FP32 31.2 TFLOPS Single Slot Card	HPC Rendering, Deep Learning, Machine Learning, Training, Inferencing Virtual Desktop Integration
VIRTUAL DESKTOP INTEGRATION - INFERENCING		HIGHLIGHTS	IDEAL FOR
	<b>NVIDIA L4</b> TCSL4PCIE-PB	FP32 30.3 TFLOPS INT 8 485 TOPS Max. Power 72W Low Profile Form Factor	HPC, Inferencing Virtual Desktop Integration Designer / Engineer / Power User
	<b>NVIDIA A2</b> TCSA2MATX-PB	FP32 4.51 TFLOPS INT 4 144 TOPS Max. Power 60W Low Profile Form Factor	Inferencing Virtual Desktop Integration Designer / Engineer / Power User
VIRTUAL DESKTOP INTEGRATION		HIGHLIGHTS	IDEAL FOR
	<b>NVIDIA A16</b> TCSA16M-PB	4x GPU 64 GB Memory (16 GB x4) Density Optimized virtualization	Virtual Desktop Integration Office Workers

## NVIDIA Professional Graphics Cards

BY PNY

ULTRA HIGH-END		PACKAGE CONTENT	IDEAL FOR
	<b>NVIDIA RTX™ PRO 6000 Workstation Edition</b> VCNRTXPRO6000-PB	1 x Quick Start Guide 1 x Dual 8-pin to CEM5 16-pin	Artificial Intelligence Animation - Visualization Broadcast - Video Editing Oil & Gas Medical Imaging
	<b>NVIDIA RTX™ PRO 6000 Max-Q Workstation Edition</b> VCNRTXPRO6000MQ-PB	1 x Quick Start Guide 1 x Dual 8-pin to CEM5 16-pin	Artificial Intelligence Animation - Visualization Broadcast - Video Editing Oil & Gas Medical Imaging
	<b>NVIDIA A800</b> VCNA800-PB	1 x Quick Start Guide 1 x 8-pin CPU to CEM5 16-pin 1 x Dual 8-pin to CEM5 16-pin	Deep Learning, Machine Learning, Training, Inferencing, Data Analytics
HIGH-END		PACKAGE CONTENT	IDEAL FOR
	<b>NVIDIA RTX™ PRO 5000</b> VCNRTXPRO5000-PB	1 x Quick Start Guide 1 x Dual 8-pin to CEM5 16-pin	Animation - Visualization Broadcast - Video Editing Design Manufacturing – large models Medical Imaging
	<b>NVIDIA RTX™ PRO 4500</b> VCNRTXPRO4500-PB	1 x Quick Start Guide 1 x Dual 8-pin to CEM5 16-pin	Animation - Visualization Broadcast - Video Editing Design Manufacturing – large models Medical Imaging
	<b>NVIDIA RTX™ PRO 4000</b> VCNRTXPRO4000-PB	1 x Quick Start Guide 1 x 8-pin to CEM5 16-pin	Animation - Visualization Broadcast - Video Editing Design Manufacturing – large models Medical Imaging
MID-RANGE		PACKAGE CONTENT	IDEAL FOR
	<b>NVIDIA RTX™ PRO 4000 SFF</b> VCNRTXPRO4000LP-PB	1 x Quick Start Guide 1 x unattached LP Bracket	Animation / Video Editing Manufacturing – large models Medical Imaging
	<b>NVIDIA RTX™ PRO 2000</b> VCNRTXPRO2000-PB	1 x Quick Start Guide 1 x unattached LP Bracket	Animation / Video Editing Manufacturing – med/large models Medical Imaging
	<b>NVIDIA RTX™ A1000</b> VCNRTXA1000-PB	4 x mDP to DP adapter 1 x Quick Start Guide 1 x unattached LP Bracket	Animation Video Editing Manufacturing – medium models
ENTRY-LEVEL		PACKAGE CONTENT	IDEAL FOR
	<b>NVIDIA RTX™ A400</b> VCNRTXA400-PB	4 x mDP to DP adapter 1 x Quick Start Guide 1 x unattached LP Bracket	Manufacturing – volume CAD
DEDICATED TO LOW POWER SYSTEMS		PACKAGE CONTENT	POWER LIMIT
	<b>NVIDIA RTX™ 4000 SFF Ada Generation</b> VCNRTX4000ADALP-PL	1 x unattached LP Bracket	Power Limit 50W
	<b>NVIDIA RTX™ 2000 Ada Generation</b> VCNRTX2000ADA-PL	1 x unattached LP Bracket	Power Limit 50W
	<b>NVIDIA RTX™ A1000</b> VCNRTXA1000-PL	1 x unattached LP Bracket	Power Limit 35W
	<b>NVIDIA RTX™ A400</b> VCNRTXA400-PL	1 x unattached LP Bracket	Power Limit 30W



PNY maximizes your NVIDIA Graphics Cards potential with an exceptional support.

## COMPATIBILITY & SUPPORT FOR ALL WORKSTATION BRANDS

### PNY Warranty Extension Service

- ⦿ To better protect your investment, PNY offers a comprehensive extended 5-Year warranty to your NVIDIA® card from PNY®.

### Main Features

- ⦿ Additional 2-Year Extended Warranty Service for your NVIDIA® card by PNY®.
- ⦿ Advanced Product Replacement (for European Union countries, Norway and Switzerland).

## PNY ADVANTAGE

- ⦿ 3-Year standard warranty
- ⦿ Pre-sales support and system configuration assistance
- ⦿ Dedicated Field Application Engineers
- ⦿ Direct access to technical support hotlines
- ⦿ Support escalation for prompt issue resolution
- ⦿ Certified software support and bug reporting
- ⦿ Published product support and training materials
- ⦿ Advanced replacement options for mission-critical deployments
- ⦿ Long product life cycles and availability
- ⦿ Loyalty partner channel programs

#### PNY Technologies Europe

Zac du Phare  
9 rue Joseph Cugnot - BP 40181  
33708 Mérignac Cedex, France

Tel: +33 (0)5 40 240 240

CONTACT US

[SALES@PNY.EU](mailto:SALES@PNY.EU)

#### PNY Technologies QUADRO® GmbH

Schumanstraße 18a  
52146 Würselen  
Germany

Tel: +49 (0)240 540 848-0

CONTACT US

[VERTRIEB@PNY.EU](mailto:VERTRIEB@PNY.EU)

#### PNY Technologies LTD

400 Capability Green  
Luton  
LU1 3AE  
United Kingdom

CONTACT US

[QUADROUK@PNY.EU](mailto:QUADROUK@PNY.EU)