



PNY®

**Delivering Data
with Networking
Solutions.**

PNY®

 NVIDIA®

SOLUTIONS FOR EACH MARKET



HPC

In-Network Computing and smart accelerators to deliver the fastest speed, lowest latency, and highest efficiency.



Data Center

Increase data center server efficiencies to unlock performance in virtualized servers and flash-based storage.



AI/Machine Learning

NVIDIA Networking AI solutions utilize intelligent RDMA and GPUDirect® offloads and In-Network Computing to improve neural network training.



Clouds

Highly virtualized, performant and efficient cloud infrastructure through open standards, CPU offloads and network accelerators.



Storage

Interconnect portfolio at speeds from 10 to 200Gb/s, delivering the best efficiency, highest performance and greatest scalability for storage networking.



Security

Aimed at accelerating security in your datacenter, NVIDIA Networking Solutions make sure all bases are covered with our secured solutions.




Telecom

Empowering you to boost the efficiency of your Telecom cloud and turbo charge NFV solutions.



Media & Entertainment

Empowering customers to create, process and deliver contents quickly with the next-gen IP networking.



BENEFITS OF PNY NETWORKING SOLUTIONS

EXPERIENCE END-TO-END HIGH-SPEED ETHERNET AND INFINIBAND CONNECTIVITY

The high-performance computing (HPC), cloud computing, Web 2.0, machine learning, data analytics, and storage sectors are driving a significant surge in the demand for more computing power, efficiency, and scalability. To meet these needs, PNY provides complete end-to-end solutions supporting InfiniBand and Ethernet networking technologies.

VALUE-PACKED BENEFITS



Reduce Latency

Reduced latency is crucial for real-time applications such as video conferencing, financial transactions, and other time-sensitive processes.



Efficiency

Improved efficiency in network operations translates to cost savings, increased productivity, and better utilization of available resources.



Data Center Automation

Data center automation enhances scalability, reduces the risk of human errors, and enables rapid deployment of services.



Enhance Security

Networking solutions play a crucial role in creating a secure environment for data transmission, protecting sensitive information.



High-Speed Connection

They contribute to improved user experiences and support the growing demands of modern, data-intensive applications.

PNY KEY SELLING POINTS

With top-tier networking solutions. Our key strength lies in our stock management, ensuring daily business needs and an excellent reactivity on the market.

Additionally, we provide valuable presales support, POC support, with a strong logistics, installation, and service support to make your experience successful.

PNY is deploying mega clusters on an international scale, integrating thousands of cables within the infrastructure. This ambitious initiative not only involves the implementation of bundles but also precise labeling, showcasing PNY's commitment to optimal connectivity on a global level.



LOGISTICS
STRENGTH AND
ADAPTABILITY



LOCAL
TECHNICAL
SUPPORT



EXPERIENCE &
EXPERTISE



IMPLEMENTATION
OF BUNDLES

PNY Networking configurator

Simplify your networking decisions, all in one place.

KEY FEATURES AND BENEFITS:

- + Find compatible networking solutions in seconds
- + Explore validated alternative options
- + Check real-time product availability
- + Access configuration details and downloadable summaries
- + Submit requests directly through the platform
- + Keep your dedicated PNY sales contact automatically informed for seamless follow-up
- + Supported Products

The configurator covers a wide range of NVIDIA networking solutions, including:

CABLES

TRANSCEIVERS

ADAPTERS

SWITCHES

LICENSES

Explore the PNY Networking Configurator and simplify your decisions.


www.pnynetworkingconfigurator.com/

ETHERNET SPECTRUM

COMPLETE ETHERNET SOLUTIONS FROM HOST TO SWITCH


Experience industry-leading Ethernet performance, availability, and ease of use with NVIDIA Spectrum™, a comprehensive end-to-end platform. NVIDIA Spectrum™ Platform integrates switches, DPUs, SmartNICs, cables, transceivers, and networking software, serving a wide range of applications such as cloud computing, data storage, AI, and more.

Ethernet Switches



Discover the new Spectrum™-X Networking Platform: the world's first ethernet networking platform for AI

Leveraging the close integration of the NVIDIA Spectrum™-4 Ethernet switch with the NVIDIA® BlueField®-3 data processing unit (DPU), Spectrum™-X achieves peak performance in AI, machine learning, natural language processing, and various industry applications.



KEY FEATURES AND BENEFITS:


- ⊕ Nearly Perfect Bandwidth at Scale
- ⊕ Extremely Low Latency
- ⊕ End-to-End Stack Optimization
- ⊕ Advanced RoCE Extensions for Scalable AI Communications
- ⊕ Deterministic Performance and Performance Isolation
- ⊕ Open Network Operating System: SONiC and Cumulus

Switch Hardware Portfolio



NVIDIA Spectrum™ SN6000 Series

Offers unprecedented network scale for AI factories through co-packaged optics, doubling bandwidth per lane compared to the previous generation and significantly improving network resiliency.



NVIDIA Spectrum™-4 SN5000 Series

Built for AI, the SN5000 series is suitable for deeplearning workloads, connecting cloud-scale GPU compute at speeds up to 800Gb/s.




NVIDIA Spectrum™-3 SN4000 Series

Built for cloud-scale networking, the SN4000 series merges cutting-edge performance with industry-leading features to accommodate data center applications at speeds reaching up to 400Gb/s.



NVIDIA Spectrum™-2 SN3000 Series

Perfect for leaf and spine data center network configurations, the SN3000 series provides versatility with port speeds reaching up to 200Gb/s per port. Its high port density ensures full-rack connectivity to servers at any speed.



NVIDIA Spectrum™ SN2000 Series

The SN2000 series, with speeds up to 100Gb/s, seamlessly integrates into hyperconverged infrastructure and software-defined storage systems, simplifying deployment and management.

ETHERNET SWITCHES

	Part number	Maximum Speed	Port Display	OS	Air Flow	Number of U
SN5600	920-9N42F-00RI-7C0	800GbE	64x OSFP Ports + 1x SFP28 Port	Cumulus Linux	C2P airflow	2U
SN5610	920-9N42F-00RI-3C1	800GbE	64x OSFP ports and 2xSFP28 port	Cumulus Linux	C2P airflow	2U
SN5400	920-9N42C-00FB-7C0	400GbE	64x QSFP56-DDPorts + 2x SFP28 Ports	Cumulus Linux	P2C airflow	2U
	920-9N42C-00RB-7C0		64x QSFP-DDPorts + 2x SFP28 Ports	Cumulus Linux	C2P airflow	
SN4700	MSN4700-WS2RC	400GbE	32x QSFP-DD 400GbE	Cumulus Linux	P2C airflow	1U
	MSN4700-WS2FC			Cumulus Linux	C2P airflow	
SN4600	MSN4600-CS2FC	100GbE	64x QSFP28 Ports	Cumulus Linux	P2C air flow	2U
	MSN4600-VS2FC	200GbE	64x QSFP56 Ports		P2C air flow	
	MSN4600-CS2RC	100GbE	64x QSFP28 Ports		C2P airflow	
	MSN4600-VS2RC	200GbE	64x QSFP56 Ports		C2P airflow	
SN3420	MSN3420-CB2RC	100GbE	12x QSFP28 100GbE + 48x SFP28 25GbE	Cumulus Linux	C2P airflow	1U
	MSN3420-CB2FC			Cumulus Linux	P2C airflow	
SN2201	MSN2201-CB2FC	100GbE	48x RJ45 + 4x QSFP28 100 GbE	Cumulus linux	P2C airflow	1U
	MSN2201-CB2RC				C2P airflow	
	MSN2201-CBARC				C2P airflow	
	MSN2201-CSMRC				C2P airflow	

Ethernet Adapters, the ConnectX® series



Accelerate
Software



Security
from Edge to Core




Storage
Performance




Precision
Timing

The ConnectX series of smart network interface cards (SmartNICs) provides cutting edge hardware offloading and acceleration capabilities. NVIDIA Ethernet adapters deliver outstanding ROI and the most cost-effective Total Cost of Ownership for hyperscale, public and private clouds, storage, machine learning, AI, big data, and telco platforms.



NVIDIA® ConnectX®-7

Providing up to four ports of connectivity and 400Gb/s of throughput. The ConnectX-7 SmartNIC offers accelerated networking, storage, security, and management services for data center-scale applications. With features like Accelerated Switching and Packet Processing (ASAP2), advanced RoCE, GPUDirect Storage, and inline hardware acceleration for encryption / decryption, ConnectX-7 enables high-performance networking solutions. It caters to current and future networking needs in both high-bandwidth and high-density environments.



NVIDIA® ConnectX®-6 Dx

Offers dual ports of 25, 50, or 100Gb/s or a single port of 200Gb/s Ethernet connectivity. It utilizes advanced 50Gb/s PAM4 SerDes technology and PCI Express (PCIe) 4.0 host connectivity. As part of NVIDIA's commitment to scalable cloud fabrics, ConnectX-6 Dx excels in performance and efficiency at any scale. Its cutting-edge hardware offload engines, featuring inline data-in-motion encryption for IPsec and TLS, enhance network security in contemporary data center setups.



NVIDIA® ConnectX®-6 Lx


Offering top-tier capabilities for enterprise, cloud, edge, and telecommunications workloads. Part of the industry's most cost-effective, secure, and flexible SmartNIC family, ConnectX-6 Lx supports up to two ports of 25 Gigabit Ethernet (GbE) or a single port of 50GbE connectivity. The extensive SmartNIC portfolio includes various form factors, feeds, and speeds, such as low-profile PCIe and Open Compute Project (OCP) 3.0-compliant cards, giving customers the freedom to select the best fit for their requirements.

ETHERNET ADAPTERS

	Part number	Port Display	Crypto	Maximum Speed	Host interface	Bracket
ConnectX-7	MCX713104AS-ADAT	Quad-Port SFP56	Disabled	50GbE	PCIe 4.0 x16	Tall
	MCX713104AC-ADAT		Enabled			
	MCX713114TC-GEAT		Enabled			
ConnectX-6 Lx	MCX631102AS-ADAT	Dual-port SFP28	Disabled	25GbE	PCIe 4.0 x8	Tall
	MCX631102AC-ADAT		Enabled			Tall
	MCX631102AN-ADAT		Disabled			Tall
	MCX631432AC-ADAB		Enabled			Pull tab
	MCX631432AS-ADAB		Disabled			Pull tab
ConnectX-6 Dx	MCX623106AC-CDAT	Dual-port QSFP56	Enabled	100GbE	PCIe 4.0 x16	Tall
	MCX623106AN-CDAT	Dual-port QSFP56	Disabled			Tall
	MCX623106AS-CDAT	Dual-port QSFP56	Disabled			Tall
	MCX623430MS-CDAB	Dual-port DSFP	Disabled			Pull tab
	MCX623436AC-CDAB	Dual-port QSFP56	Enabled			Pull tab
	MCX623436AN-CDAB	Dual-port QSFP56	Disabled			Pull tab
	MCX623436MS-CDAB	Dual-port QSFP56	Disabled			Pull tab

INFINIBAND QUANTUM

BRING END-TO-END HIGH-PERFORMANCE NETWORKING TO SCIENTIFIC COMPUTING, AI AND CLOUD DATA CENTERS



NVIDIA Quantum-X800 InfiniBand Platform

The NVIDIA Quantum-X800 platform, the next generation of Quantum InfiniBand, delivers 800Gb/s connectivity with ultra-low latency for large-scale AI. Its Q3400 switch enables 2X faster speeds and 5X higher scalability, while the ConnectX-8 SuperNIC provides 800G connectivity with advanced offload and QoS enhancements.

NVIDIA Quantum-2 Infiniband Switches

Cost Optimization

Data Throughput

More AI Acceleration

Higher Scalability

Quantum InfiniBand switches provide a comprehensive switch system and fabric management solution, enabling the seamless connection of cloud-native supercomputing, regardless of scale. Quantum InfiniBand offers self-healing network features, integrated routing capabilities, improved quality of service (QoS), congestion control, and adaptive routing, all contributing to maximized application throughput.



QUANTUM-2 INFINIBAND SWITCHES						
	Part number	NDR port	OSFP port	Air flow	Maximum Speed	Enhanced management
Q3400	920-9B36F-00RX-8S0	144	72	C2P airflow	800G	-
	920-9B36P-00RX-8S0					
Q3200	920-9B34F-00RX-FS0	36	18	C2P airflow	800G	-
QM9700	MQM9700-NS2F	64	32	P2C airflow	400Gb/s per port	UFM
	MQM9700-NS2R	64	32	C2P airflow		
QM9790	MQM9790-NS2R	64	32	C2P airflow	400Gb/s per port	UFM
	MQM9790-NS2F	64	32	P2C airflow		




NVIDIA DGX SuperPOD

Enhancing HPC and AI Supercomputers with Infiniband Quantum-2

The DGX SuperPOD utilizes NVIDIA InfiniBand for ultra-low latency, ensuring peak AI performance, scalability, and streamlined management while reducing costs.

Cloud-Native Supercomputing

The NVIDIA Cloud-Native Supercomputing platform integrates Quantum-2 InfiniBand and BlueField DPU to deliver high-speed, low-latency performance. This combination ensures bare-metal efficiency, strong user management, data security, and seamless access.



NVIDIA® ConnectX® InfiniBand Adapters



High Performance
and Scalability



Accelerated
Storage




Smart
Interconnect




Virtualization
Acceleration

By harnessing enhanced speeds and cutting-edge In-Network Computing, NVIDIA® ConnectX® InfiniBand smart adapters excel in both performance and scalability. These adapters effectively reduce the cost per operation, consequently boosting ROI across various applications, including high-performance computing (HPC), machine learning, advanced storage, clustered databases, low-latency embedded I/O applications, and more.




NVIDIA® ConnectX®-8 InfiniBand

The ConnectX-8 SuperNIC™ is optimized to supercharge hyperscale AI computing workloads. With support for both InfiniBand and Ethernet networking at up to 800Gb/s, ConnectX-8 SuperNIC delivers extremely fast, efficient network connectivity, significantly enhancing system performance for AI factories and cloud data center environments.



NVIDIA® ConnectX®-7 InfiniBand

The ConnectX-7 smart host channel adapter (HCA), powered by the NVIDIA Quantum-2 InfiniBand architecture, delivers the highest networking performance with 400Gb/s throughput, ultra-low latency, and NVIDIA In-Network Computing acceleration. Ideal for supercomputing, AI, and hyperscale cloud data centers.



NVIDIA® ConnectX®-6 InfiniBand

The ConnectX-6 smart host channel adapter (HCA), equipped with the NVIDIA Quantum InfiniBand architecture, offers high performance along with NVIDIA In-Network Computing acceleration engines. This combination optimizes efficiency across various domains, including HPC, artificial intelligence, cloud computing, hyperscale setups, and storage platforms.

INFINIBAND ADAPTER					
	Part number	Port Display	Maximum Speed	Crypto	Host interface
ConnectX-8	900-9X81E-00EX-DT0	Single-cage OSFP	2x400GbE/800Gbs	Enabled	PCIe 6 x16
	900-9X81E-00EX-ST0	Single-cage OSFP	2x400GbE/800Gbs		PCIe 6 x16
	900-9X81E-00EX-SL0	Single-cage OSFP	2x400GbE/800Gbs		PCIe 6 x16
	900-9X81Q-00CN-ST0	Dual-port QSFP112	400GbE/400Gbs		PCIe 6 x16
ConnectX-7	MCX750500C-0D00	/ QSFP56	400GbE/400Gb/s	Disabled	PCIe 5.0 x32
	MCX750500C-0D0K	/ OSFP	400GbE/400Gb/s	Disabled	PCIe 5.0 x32
	MCX753436MC-HEAB	Dual QSFP112	200GbE/200Gb/s	Enabled	PCIe 5.0 x16
	MCX753436MS-HEAB	Dual OSFP	200GbE/200Gb/s	Disabled	PCIe 5.0 x16
	MCX75310AAS-NEAT	Single OSFP	400GbE/400Gb/s	Disabled	PCIe 5.0 x16
	MCX75310AAC-NEAT	Single OSFP	400GbE/400Gb/s	Enabled	PCIe 5.0 x16
	MCX75310AAS-HEAT	Single OSFP	200GbE/200Gb/s	Disabled	PCIe 5.0 x16

UFM® - Unified Fabric Manager

Explore the network management platforms for cyber intelligence and analytics

The NVIDIA UFM Platforms transform data center networking by combining real-time telemetry with AI-driven analytics, enabling efficient management of InfiniBand environments. They streamline provisioning, monitoring, troubleshooting, and maintenance while maximizing resource utilization, enhancing performance, and reducing operational costs for modern scale-out data centers.

UFM Telemetry

Real-Time Monitoring

UFM Enterprise

Fabric Visibility and Control

UFM Cyber-AI

Cyber Intelligence and Analytics

NVIDIA® BlueField® Data Processing Units



Security
for Each Server



High Performance
Storage




Powerful Data Center
Services Accelerator



Software-Defined
NVIDIA DOCA

NVIDIA® BlueField® data processing units (DPUs) spark remarkable advancements in contemporary data centers and supercomputing clusters. Through their ability to offload, accelerate, and isolate a wide array of advanced networking, storage, and security services, BlueField DPUs establish a secure and expedited infrastructure suited for diverse workloads, spanning various environments, from the cloud to data centers to the edge.




NVIDIA® Bluefield® -3 DPU

The NVIDIA BlueField-3 DPU is a 400 Gb/s infrastructure compute platform that processes software-defined networking, storage, and cybersecurity at line-rate speed. It combines potent computing, high-speed networking, and extensive programmability to offer software-defined, hardware-accelerated solutions for demanding workloads, redefining possibilities across various domains, from accelerated AI to 5G networks.


BLUEFIELD						
	Part number	Port Display	Crypto	Host interface	Arm CPU cores	Memory
Bluefield-3	900-9D3B4-00CV-EA0	Dual QSFP112	Enabled	PCIe Gen5.0 x16	8 Arm cores	16GB on-board DDR
	900-9D3B4-00SV-EA0	Dual QSFP112	Disabled	PCIe Gen5.0 x16	8 Arm cores	16GB on-board DDR
	900-9D3B6-00CC-EA0	Dual QSFP112	Enabled	PCIe Gen5.0 x16 with x16	16 Arm cores	32GB on-board DDR
				PCIe extension option		
	900-9D3B6-00SC-EA0	Dual QSFP112	Disabled	PCIe Gen5.0 x16 with x16	16 Arm cores	32GB on-board DDR
				PCIe extension option		
	900-9D3D4-00EN-HA0	Single QSFP112	Enabled	PCIe Gen5.0 x16	8 Arm cores	16GB on-board
	900-9D3C6-00SV-DA0	Dual QSFP112	Disabled	PCIe Gen5.0 x16	16 Arm cores	48GB on-board
	900-9D3D4-00NN-HA0	Single QSFP112	Disabled	PCIe Gen5.0 x16	8 Arm cores	16GB on-board
	900-9D3B6-00CV-AA0	Dual QSFP112	Enabled	PCIe Gen5.0 x16	16 Arm cores	32GB on-board
	900-9D3B6-00SV-AA0	Dual QSFP112	Disabled	PCIe Gen5.0 x16	16 Arm cores	32GB on-board
	900-9D3C6-00CV-DA0	Dual QSFP112	Enabled	PCIe Gen5.0 x16	16 Arm cores	48GB on-board DDR

NVIDIA DOCA™ Unlock the potential of Bluefield

NVIDIA DOCA is the gateway to unleash the full potential of the NVIDIA BlueField data processing unit (DPU) for offloading, accelerating, and isolating data center workloads. DOCA enables developers to shape the data center infrastructure of the future, crafting software-defined, cloud-native, DPU-accelerated services that come with zero-trust protection. This approach effectively meets the growing performance and security requirements of modern data centers.



Complete InfiniBand and Ethernet portfolio



NVIDIA LinkX® cables and transceivers

Discover the market's most complete range of Ethernet and InfiniBand interconnect solutions, renowned for their exceptional low latency, low power consumption, and reliability, specially designed for AI and accelerated computing needs.

ETHERNET INTERCONNECT

	Part Number	Material	Maximum Speed	Connector type	Length / Transceiver reach (optical transceivers)
Active optical cables (AOC)	MFA1A00-C00XX	Fiber	400GbE	QSFP28	3.0m/5m/10m/15m/20m/30m/50m
Direct attach cables (DAC)	MCP1600-C00XX	Copper	200GbE to 4x 50GbE	QSFP-DD to 4x SFP+	1m/1.5m/2m/2.5m/3.0m/5m
Optical transceivers	MMA1B00-C100D	X	100GbE	QSFP28	up to 100m
	MMS1V00-WM		400GbE	QSFP-DD	up to 500m
	MC3208411-T		1GbE	SFP	up to 100m
	MMA2P00-AS		25GbE	SFP28	-

INFINIBAND INTERCONNECT

	Part Number	Material	Maximum Speed	Connector type	Length / Transceiver reach (optical transceivers)
Active optical cables (AOC)	MFA1A00-E00XX MFS1S00-H0XX	Fiber	Up to 100Gb/s Up to 200Gb/s	QSFP QSFP56 to QSFP56	10m/30m 5m/10m/20m/30m/50m/100m
Direct attach cables (DAC)	MCP1600-E00XX MCP1650-H00AEXX MCP4Y10-N00XX	Copper	up to 100Gb/s 200Gb/s up to 800Gb/s	QSFP28 QSFP56 to QSFP56 OSFP	1m/2m/3m/5m 1m/1.5m/2m 0.5/1m/1.5m/2m
Optical transceivers	MMA4Z00-NS400 MMS4X00-NM 980-9IAH1-00XM00 MMS4X50-NM	X	400Gbps 800Gbps 1600Gbps 800Gbps	OSFP	up to 50m up to 500m up to 500m up to 2km
Passive optical cables (POC)	MFP7E10-N0XX MFP7E20-N0XX MFP7E30-N0XX MFP7E40-N0XX	Fiber	NDR 800Gb/s EDR 100Gb/s HDR 200Gb/s	MP012 APC to MP012 APC MP012 APC to 2xMP012 APC	2m/3m/5m/7m/10m/15m/ /20m/25m/30m/35m/40m/ 60m/70m/100m/150m
Passive Copper Splitter Cables	MCP7Y00-N0XX MCP7Y10-N0XX MCP7Y40-N0XX MCP7Y50-N0XX	Copper	800Gb/s to 2x400Gb/s 800Gb/s to 2x400Gb/s 800Gb/s to 4x400Gb/s 800Gb/s to 4x400Gb/s	OSFP to 2xOSFP OSFP to 2xQSFP112 OSFP to 4xQSFP112 OSFP to 4xOSFP	1m/2m//3m
Optical Splitter Cables	MFA7U10-H0XX	Fiber	400G to 2x200G	OSFP to 2xQSFP56	3m/5m/10m/15m/20m/30m
Active Copper Cables	MCA4J80-N00X 980-9IAM3-00X00X 980-9IAM5-00X00X 980-9IAM1-00X001 980-9IAO5-00X00X	Copper	800Gb/s 1600Gb/s	OSFP OSFP to 2xOSFP	1m/1.5m/2m/2.5m/3m/4m/5m



PNY CABLES AND TRANSCEIVERS

PNY is also providing a range of compatible Ethernet and InfiniBand cables and transceivers, ensuring versatile connectivity solutions for various applications.

Please note informations are specific to our High Runners, to see different speed rate, port display or other caracterisitics of our products and
FOR MORE INFORMATION ON NVIDIA NETWORKING SOLUTIONS:

Visit: **WWW.PNY.EU**

© 2026 PNY Technologies Europe. The PNY logo is a registered trademark of PNY Technologies, Inc. All other trademarks are the property of their respective owners. All rights reserved. - © 2026 NVIDIA Corporation. All rights reserved. NVIDIA, the NVIDIA logo, NVIDIA DGX SuperPOD, DGX, NVIDIA Quantum InfiniBand Platform, NVIDIA Spectrum, NVIDIA BlueField, NVIDIA UFM, NVIDIA NetQ and NVIDIA LinkX cables are trademarks and/or registered trademarks of NVIDIA Corporation. All company and product names are trademarks or registered trademarks of the respective owners with which they are associated. Features, pricing, availability, and specifications are all subject to change without notice. - © 2026 Groupe Iliad. All rights reserved. - © 2026 Scaleway SAS. Scaleway and Nabu are trademarks and/or registered trademarks of Scaleway SAS. All rights reserved. - © 2026 DataDirect Networks, All Rights Reserved. - © 2026 Kyutai, All Rights Reserved. - © 2026 CMA-CGM, All Rights Reserved - © 2026 Schmidt Futures, All Rights Reserved. - © 2026 Mistral AI. All rights reserved. - © 2026 AdobeStock



PNY offers a broad range of Networking solutions and dedicated services for seamless connectivity.

PNY ADVANTAGE

- 20 Years expertise selling NVIDIA GPU Solutions
- Strong alliances with technological suppliers
- Dedicated head count for Sales, Marketing and Support
- Local Pre and post sales support
- Direct tech support hotlines
- Pre-sales tools, support and configuration assistance
- Dedicated Field Application Engineers, added-value on site installation
- Published product support and training materials
- Advanced replacement options for mission-critical deployments
- Long product life cycles and availability
- Loyalty partner channel programs
- Dedicated support programs
- Strong logistic and operation abilities
- Equipment loan for strategic opportunities
- PNY LAB: technological centre to support development of AI, HPC and VDI Solutions

PNY Technologies Europe

Zac du Phare
9 rue Joseph Cugnot - BP 40181
33708 Mérignac Cedex, France
Tel: +33 (0)5 40 240 240

PNY Technologies GmbH

Schumanstraße 18a
52146 Würselen
Germany
Tel: +49 (0)240 540 848-0

PNY Technologies LTD

400 Capability Green
Luton
LU1 3AE
United Kingdom

CONTACT US

SALES@PNY.EU