



# XLR8 Gaming MAKO DDR5 6000MHz

**Desktop Memory** 



#### **Extreme Performance**

Pushes the limit with aggressive speed, low latency, and extreme overclocking capabilities.



#### Intel XMP & AMD EXPO Support

Super easy overlocking and runs at top speed.



#### Cool Under Pressure

Overclocking made simple for top speed performance.

## THE NEXT EVOLUTION IN PERFORMANCE

PNY XLR8 Gaming MAKO DDR5 Memory is designed for gamers and enthusiasts and offers the style and performance they crave. The modules feature aluminum heat spreaders with elements inspired by the fast and aggressive Mako shark from which it gets its name. An XLR8 logo and GAMING text is proudly emblazoned on the side of the module and silver angled relief lines are machined into the heat spreader to reflect other components' lighting and provide unmatched flair and style. Compatibility with Intel XMP and the latest AMD CPUs that now support EXPO enable users to get the most out of their MAKO DDR5 modules right out of the box. Top-tier components and select ICs combine to deliver aggressive speed, low latency and the bullet-proof reliability gamers and enthusiasts can rely on PNY for.

For more than 35 years, PNY has been rigorously sourcing, testing, and manufacturing memory upgrades for thousands of the most popular PC platforms. Get your custom PC dressed and ready for battle with an XLR8 Gaming MAKO DDR5 6000MHz CL40 upgrade from PNY and watch the world blaze.

## **DDR5 6000MHz PERFORMANCE**

PNY's premium XLR8 memory features our most aggressive speeds, highest bandwidth, lowest latency and power consumption, and most advanced thermal performance for maximum PC stability and responsiveness during memory-intensive gaming and application use. XLR8 Gamging MAKO DDR5 memory modules are rigorously engineered and tested to ensure peak performance in even the most challenging gaming environments.

## **PRODUCT SPECIFICATIONS**

Memory Type	DDR5 ECC Unbuffered DIMM
Capacity	32GB (2x16GB)
Channel Type	Quad Channel Kit
Frequency Speed (JEDEC)	6000MHz (PC5-48000)
CAS Latency	CL40
Voltage	1.3V
XMP & EXPO Support	Yes
Speed Compatibility	6000MHz, 5600MHz, 5200MHz, 4800MHz
Warranty	Limited Lifetime

# **PRODUCT INFORMATION**

PNY Part Number	32GB (2x16GB): MD32GK2D5600040MXR
UPC	32GB (2x16GB): 751492767857
Module Dimensions	5.25 x 1.37 inches

